

Crop Report

Published by the Ministry of Agriculture ISSN 0701 7085 Report number 4, April 28, 2011

For the Period April 19 to 25, 2011

There are a few localized areas in the province where producers have started field work, according to Saskatchewan Agriculture's Weekly Crop Report.

However, due to the excess moisture, the majority of Saskatchewan's producers are at least two weeks away from seeding. A few areas in the southwest, west-central and northwest have dried up enough for producers to start harrowing, picking rocks, applying fertilizer and controlling weeds. There have been only a few reports of seeding to date.

One year ago
One per cent of the 2010
crop had been seeded.
The 10 year (2001-2010)
provincial average for this
time of year is just under
two per cent seeded.

The majority of crop reporters are indicating fields are still very wet. Warm days with some wind will be needed before fields can support machinery. Very little precipitation has been recorded in the province during the past two weeks, which has helped in getting producers closer to field operations.

All crop reporters are indicating adequate livestock water availability. Fifty-five per cent of the crop reporters have indicated excellent to good pasture conditions, while 45 per cent are reporting fair to very poor conditions. Due to the late spring, growth in the pastures is slow. In many areas both pasture and crop land are flooded or inaccessible.

Farmers are busy calving, cleaning seed, preparing machinery and checking fences.


Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Most of the region's crop reporters have indicated seeding will be at least two weeks away. There has been very little field activity to date. The recent warm and windy weather has helped the saturated soil conditions. The water is starting to recede and infiltrate in most areas. The majority of snow has melted, with the exception of shelterbelts and north-facing slopes. Rural municipalities are busy repairing roads that were cut or washed out. Very little precipitation was recorded in the region. The Carnduff and Pense areas reported six and four mm, respectively.

Due to the late spring, pastures are slow to start with spring growth. Some pastures are flooded or inaccessible. Fifty-seven per cent of the crop reporters have indicated

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.





pastures are in excellent to good condition. Forty-three per cent have rated pasture condition in fair to very poor condition.

Crop reporters have indicated that many farmers are undecided on seeding intentions due to the wet field conditions. By this time of year, many producers are normally in the fields putting down fertilizer or controlling weeds.

Farmers are busy calving, cleaning seed, preparing machinery and fixing fences.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Some producers have been able to get into the fields to do some pre-seeding field work. Some are anticipating getting in to the fields by next week, while others are predicting it will be two weeks before the ground will support machinery. Spring runoff is ongoing. Snow and large bodies of water are present in some fields. There have been no reports of seeding to date, although a few reporters are hoping to start by the weekend.

Warm weather is needed to dry fields and get pastures growing. Sixty-six of the reporters are indicating pastures are in excellent to good condition, while 34 per cent are reporting fair to poor pasture conditions. Very little rain was reported in the region. The Shaunavon area recorded six mm and the Vanguard area recorded five mm. There are reports of some seed treatments being in short supply.

Farmers are busy calving, branding, hauling cattle to pasture, cleaning seed, preparing machinery and fixing fences.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Snow melt and spring runoff is occurring with the warmer weather of the last few days. Crop reporters are indicating severe flooding in areas, damaged roads and culverts and farm yards under water. Seeding is expected to be delayed for at least another two to three weeks in crop districts 5A and 5B. In Crop District 6A, conditions are a little drier in areas as water is receding, and some producers have just started pre-seeding field work. The Kelliher and Bethune areas reported five and three mm of rain for the week.

Thirty-three per cent of crop reporters have rated pasture conditions as excellent to good. Forty-five per cent rated pasture conditions as fair to poor and 22 per cent have rated conditions as very poor. Many pastures are flooded or inaccessible.

Farmers are busy calving, cleaning seed, preparing machinery and fixing fences.

West-Central Saskatchewan (Crop Districts 6B and 7)

A few producers were able to get onto the land to do some pre-seeding field work. Others are anticipating field work will start next week. Seeding operations are one to two weeks away.

Seventy-eight per cent of crop reporters are indicating pastures are in excellent to good condition, while 22 per cent of crop reporters rated pastures in fair to poor condition. There is adequate moisture for the pastures but heat is needed to get them growing. The region recorded only trace amounts of precipitation in a few areas.

Dugouts are full and creeks are at holding capacity. There has been some localized flooding of roads and fields.

Farmers are busy calving, cleaning seed, hauling grain and working on machinery.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Fields are very wet and field work has yet to start. Fields have started to dry during the past few days. Most crop reporters are indicating it will be at least one to two weeks before they can get into the fields. Most of the snow is gone except for in the trees and along fences lines. Many roads are flooded or washed out. There was a power outage in the Vonda area due to power poles falling over. The Codette area reported three mm of rain.

Twenty-six per cent of crop reporters are indicating pastures are in excellent to good condition, seventy-four per cent have indicated pastures are in the fair to very poor rating. Many pastures are slow to start due to the cool spring. Some pastures are flooded or inaccessible.

Farmers are calving, readying machinery and cleaning grain.


Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Pre-seeding field work has started in some areas of the region. Seeding operations are predicted to start in about two weeks. Fields are still quite wet, but the warm weather during the past week has started to dry the fields. Only a few areas recorded trace amounts of precipitation.

Pastures are slow to start, but should be in good condition once it warms up. Sixty-two per cent of crop reporters are indicating pastures are in excellent to good condition, while 38 per cent are rating pastures in fair to very poor condition.

Farmers are busy readying equipment, calving, moving grain and cleaning seed.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period April 19 to 25, 2011


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Sino 1-Ap
A	1	Argyle	N/A	N/A	4A	49	White Valley	NIL	38	7B	347 A	Biggar	NIL.	5
	2	Mount Pleasant	6	29		49 A	White Valley	NA	NIA		347 B	Biggar	N/A	N/A
18	3	Enniskillen	NIL.	33	1	51	Reno	NIL	34		350 A	Mariposa	NIL	NIL.
	33 B	Moose Creek	NIA	N/A	1	79	Artington	NIL.	32	1	350 B	Mariposa	PHIL	NIL.
	34	Browning	1	47		109	Carmichael	NIL	50		351	Progress	N/A	NIL,
	61	Antier	N/A	N/A		110	Piapot	NIL	7		352	Heart's Hill	NIL	5
	63	Moose Mountain	N/A	36		111	Maple Creek	N/A	N/A		377	Glenside	NIL.	3
	64	Brock	NIL	30	4B	139	Gull Lake	NIL	23	1	378 A	Rosemount	NIL	4
	65	Tecumsen	NUL.	9		141	Big Stick	NIL	27		378 B	Rosemount	NIL.	1
	91	Maryfield	NIL NIL	22 35	1	142	Enterprise	1	25		379	Reford	NIL	5
	92 95	Walpole Golden West	NIL.	29	1	169 171	Pittville Fox Valley	N/A	N/A N/A		380 381	Tramping Lake Grass Lake	N/A	2
	122	Martin	NIL	41	8	229	Miry Creek	N/A	N/A	1	409 A	Buffalo	N/A	N/A
	123 A	Silverwood	N/A	15		231	Happyland	NIL.	5	1	400 B	Buffalo	N/A	NA
	124 A	Kingsley	NIL	19	5A	183	Fertile Belt	N/A	8		410	Round Valley	NIL.	NIL
	124 B	Kingsley	N/A	N/A	Jan.	188	Abernethy	NIL.	5		411	Seniac	NIL.	5
	125	Chester	N/A	21	1	211	Churchbridge	NIL.	3	BA	395	Porcupine	NIL.	3
	151 A	Rocanville	NIL	8	1	213	Saltcoats	N/A	5	un	397	Barrier Valley	1.6	8
	151 B	Rocarryille	NIL	3	1	216	Tullymet	NIL	7		428	Star City	NIL.	16
	153	Willowdaie	N/A	N/A	1	217	Lipton	NII.	5		456	Arborfield	1	12
	154	Elcapo	NIL	10	1	241	Calder	NA	N/A		457	Connaught	N/A	15
	155	Wolsaley	NIL.	10		243	Wallace	N/A	NIL.	1	458	Willow Creek	3	20
A	66	Griffin	NIL	60	1	245 A	Garry	NA	7		496	Moose Range	NIA	NVA
	67	Weyburn	N/A	27	1	245 B	Garry	NIL	6		487	Nipawin	PAIL	9
	88	Brokenshell	NII.	58		246	Ituna Bon Accord	NIA	2	88	300	St. Peter	N/A	NIL.
	60	Norton	N/A	32		247	Kaliross	5	17	1	370	Humboldt	NIL	3
	97	Wellington	NIL	38		248	Touchwood	N/A	NIL		371 A	Bayne	N/A	7
2B	127 A	Francis	NIL	26	5B	271	Cote	1	1		371 B	Bayne	N/A	N/A
	127 B	Francis	NIL	8		277	Emerald	0.5	18		372	Grant	NIL	3
	129	Bratt's Lake	NIL	20		305	invermay	N/A	13		402	Fish Creek	NIL	3
	158 A	Indian Head	N/A	N/A		307	Elfros	NIL.	15		429 A	Flett's Springs	NIA	N/A
	180 A	Pense	NIA	10		308	Big Quill	NIL	NIL		429 B	Flett's Springs	NIL	23
	180 B	Pense	4	18		333 A	Clayton	N/A	PHIL.		430	Invergordon	NIA	NA
	161	Moose Jaw	NIL	8		333 B	Clayton	NIL	1		459	Kinistino	NIA	N/A
	191	Marquis	1	1		334	Preeceville	NIL	1		460	Birch Hills	NA	PM/A
BASE	7	Souris Valley	NA	N/A		335	Hazel Dell	NIL	10	SAE	461	Prince Albert	NIL	20
	38 A	Laurier	N/A	39		336	Sasman	NIL	NIL		488 A	Torch River	N/A	NA
	38 B	Laurier	PHIL.	32		337	Lakeview	N/A	8		488 B	Torch River	NIA	NIL
	39 A	The Gap	NA	34		338	Lakeside	N/A	5		491	Buckland	NIL	11
	39 B	The Gap	NIA	50		386	Kelvington	NIL	10	9AW	406	Mayfield	NII.	PHIL
3ASW 3AN	10	Happy Valley	NIL	20	6A	189	Lumsden	N/A	11		435	Redberry	N/A	NIA
	11	Hart Butte	N/A	N/A	1	190 A	Dufferin	3	10		436	Douglas	NIL.	8
	12	Poplar Valley	NA	2		190 B	Dufferin	NIL	5		463	Duck Lake	NIL	4
	40	Bengough	NIL	49		190 C	Dufferin	NHL	11		464	Leask	NIL	13
	42	Willow Bunch	NIL	29		190 D	Dufferin	N/A	NA		467 A	Round Hill	NIL	7
	43	Old Post	NIL	27	1	219 A	Longiaketon	N/A	NIA	1	467 B	Round Hill	NIL	7
	44	Waverley	NIL	19	1	220	Mckillop	NIL.	NIL.		494	Canwood	NIL.	19
	70	Key West	N/A	N/A	1	221	Samia	NA	NIL		496	Spiritwood	NIL	38
	71 B	Excel	NIL.	N/A NIL		222	Craik Din Arm	PMA.	N/A	00	497	Medstead	NIL.	N/A
	73 A	Stonehenge				251	Big Arm	NIL		98	438	Battle River		8
	73 B	Stonehenge	NIL NIL	36 30		252	Arm River	2	5 2		440 442	Hillsdale	NII.	
	74 101	Wood River Terrell	1	26	8	279 280	Mount Hope Wreford	NII.	NIL		468 A	Manitou Lake Meota	NIL.	3
JAN			NIL.	20	8			NIL	NIL		468 B	Meota	NIA	8
	102	Lake Johnston Sutton	NIL.	25		282 309	McCraney Prairie Rose	NIL.	NIL.		468 C	Meota	0.1	6
	133	Rodgers	N/A	N/A		313	Lost River	N/A	NIL.		469	Turtle River	N/A	N/A
	134	Shamrock	NA	N/A		339	Leroy	1.2	5		498 A	Parkdale	NIL.	8
	164	Chaplin	NIL.	18	1	340	Wolverine	NIL.	NIL		498 B	Parkdale	NIL.	4
	193 A	Eyebrow	NIL.	18	1	341	Viscount	N/A	N/A		499	Mervin	NIL.	6
	193 B	Eyebrow	NIL	14		343	Blucher	NIL	NIL.		501 A	Frenchman Butte	NIL.	7
	194	Enfield	N/A	5	88	283	Rosedale	NIL.	1		501 B	Frenchman Butte	NIL	6
BS	17	Val Marie	N/A	49		284	Rudy	1	3		501 C	Frenchman Butte	N/A	N/A
_	45	Mankota	NA	28		285	Fartile Valley	NIL	1		561	Loon Lake	NIL	2
	75 A	Pinto Creek	3	28		286	Milden	N/A	NIL.		588 A	Meadow Lake	NIL	4
	75 B	Pinto Creek	NIL	NIL	5	314	Dundum	NIL	1		588 B	Meadow Lake	NIL	1
	76 A	Auvergne	NIL.	24		344	Corman Park	NIL	2		588 C	Meadow Lake	NIL	4
		Auvergne	NIL	21	1	346	Perdue	NIL	NIL		588 D	Meadow Lake	NIL	NIL
	77	Wise Creek	NIL	35		376 A	Eagle Creek	NIL.	6		622	Beaver River	NA	NHL.
		Grassy Creek	5	67	1	376 B	Eagle Creek	NIL	5	1				
		Grassy Creek	2	61		403	Rosthern	NA	N/A					
		Grassy Creek	NIL	42	-7A	260 A		N/A	NIL	1				
	105	Glenbain	NIL	31		260 B	Newcombe	N/A	N/A	1				
	106	Whiska Creek	5	37		261	Chesterfield	NIL.	8					
	107	Lac Pelletier	N/A	38		287	St. Andrews	NIL	NIL	1				
	108	Bone Cresk	6	63		288	Pleasant Valley	NIL.	3					
3BN	138	Webb	NIL	49			Kindersley	NIL	NIL					
	166	Excelsion	NIL	18		290 B		N/A	N/A					
	187	Sask. Landing	NIL	20		292	Milton	NIL	NIL.	1				
	168	Riverside	NIL	10		317 A		N/A	NIL					
	226	Victory	N/A	1		317 B	Marriott	NIL	В					
	228	Lacadena	N/A	N/A		318 A	Mountain View	N/A	N/A	1				
	255	Coteau	N/A	N/A		318 B	Mountain View	NIL	6	1				
	257	Monet	NIL	NIL	1	320	Oakdale	NIL	NIL	8				
						321	Prairiedale	NIL	3					

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Weekly Rainfall

for the week ending April 25, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.






Data Source

Rainfall - Ministry of Agriculture, Crop Report Database IDW interpolation (power 2.5, fixed radius 300 km)

Cumulative Rainfall

From: April 1, 2011 To: April 25, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture




Data Source:

Rainfall - Ministry of Agriculture, Crop Report Database IDW interpolation (power 3.0, fixed radius 300 km)

Cropland Topsoil Moisture Conditions


April 26, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture




Data Source:

Moisture - Ministry of Agriculture, Crop Report Database IDW interpolation (power 2.5, fixed radius 300 km)

Hay and Pasture Topsoil Moisture Conditions

April 26, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture 0 25 50 100 150 200 W

Data Source:


Moisture - Ministry of Agriculture, Crop Report Database IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: April 27, 2011

© 2011 Government of Saskatchewar

Pasture Conditions

April 26, 2011



繼

Saskatchewan Ministry of Agriculture 0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:

Pasture status - Ministry of Agriculture, Crop Report Database IDW interpolation (power 2.5, fixed radius 300 km)